

TECHON7



Industrial Touch Screen Computer FT240



Stainless steel Touch Computer for industrial use





7 reasons to choose the FT Terminals

- 
1. Modular design
 2. Reliability
 3. Performance
 4. Repairability
 5. Sustainability by refurbishment
 6. Produced in Denmark/EU
 7. High return on investment

Modular design


Our modular design secures, that you have a FT Touch Computer which always are up and running. When your FT Touch Computer breaks down, easily remove the damaged item and switch to a new spare part.

When you need to upgrade your electronics on your FT Touch Computer, ask for our upgrade kit and you now have an updated model.

In our entire FT series you can easily make the products fit your demand. The FT series hold different screen sizes, and the key is that it is the same innerplate holding all electronics. A complete exchange of system can happen on the production line without having to remove the complete FT Touch Computer. This operation takes less than 10 minutes, resulting in low down time.

The fronts of the FT Touch Computer are likewise one spare part, so an exchange of a broken front can be done in one operation on the production line.

All our accessories is a “one-fit-all” policy.



Reliability

Reliability is a main factor. From early delivery of raw food materials – to production handling - to packing and shipping. The reliability of the FT products will help you manage the process of work without fallouts and down time.

The FT Touch Computers are developed to work in harsh environments with water, dust and greasy surroundings. They are designed to resist a cleaning process with detergents.

The FT Touch Computers are built to achieve the IP65 standard, which means they are protected from total dust ingress and protected from low pressure water jets from any direction. The standard split gland for cables entry used is IP66.

The FT Touch Computers are built in AISI 316 stainless steel, which is acid resistant and on top of this, it has been treated to give a consistent and nonstick surface. This to ensure a long living and good looking FT Touch Computer.



Performance

To achieve high and steady performance we have designed a thoroughly thought out built-up, in which all the chosen technology complement each other.

The hardware system in the FT Touch Computers and accessories are developed to ensure a product, that gives you the option to have fully functional FT Touch Computer or system, in which you can collect different data, see and control the different processes, monitoring the production output, execute and follow orders and a lot more depending on your software choice and setup. The hardware system includes a powerful Intel Core I3 processor, 4GB RAM and 64GB Solid-state disc and a high reliable power supply.

The combination of the processor and the additional technology in the FT Touch Computers, are developed to ensure that you have a long-lasting product without any breakdowns and major down time. The FT Touch Computers thereby continuously keep a high, steady and long-lasting performance over time.



Repairability

The feature of being able to open the FT Touch Computer with a single key in the production environment provides instant access to all parts inside the FT Touch Computer. This makes repairing easy for factories with few or no repair staff. For any service call you bring either a front or an innerplate and the FT Touch Computer will be back in operation. The collected spare can be sent to us for refurbishment.

With the FT Touch Computers you will be secured spare parts for many years, meaning that our terminals will keep its value as a long-term investment.

Our repair service give extended life to your product. Our on-line system for handling your repair claims, gives you an easy way to register your service request at any time convenient for you. Once your claim is authorized, you will receive information for your full tracking following the process of your unit from arrival on our site to ship out after repair.





Sustainability by refurbishment

All components used in the FT Touch Computers are premium quality. All the electronics will last 5 to 10 years, and the cabinet as such will last for more than 20 years. For this reason we have introduced our refurb program, where the innerplates can be returned with defects to be refurbished with new items or maybe get upgraded, to ensure vital parts and keeps the product run for years.

Thereby we have less waste to be thrown out, as we recycle all parts possible. Old mechanical parts will be washed and cleaned to be sold as refurbished parts.

From experience the most vulnerable part is the touch screen and its protective film. In our refurb process we exchange the touch screen and the film, and clean the metal giving new long life to the FT Touch Computers without disposing more parts than necessary. All this to save costs for our customers and to protect the environment.

Produced in Denmark



By being placed in Denmark we have easy logistic reach to the World. Denmark being a part of the EU, provides free and fast movement of spare parts and refurbished spare parts as well as new products, as no customs declarations are needed.

The workmanship of Danish manufacturing is well recognized world wide as good quality.

High Return On Investment

With the fast moving technology an upgrade on the electronic components has become vital. The main reason for system operators to change hardware, is often due to changes in technology platforms. In our FT Touch Computer only 50% of the costs are related to the electronics. Therefor it would be a big waste, if the complete FT Touch Computer was thrown out only because of a new CPU was needed.

Our mechanical life cycle is minimum 20 years, and a technology cycle is only 5 years. This gives a good reason to do upgrades rather than exchange. A technology update are often possible at 1/3 of the cost compared to a new FT Touch Computer, giving a very good ROI on our products.



Technical specifications

Display and touch FT240	
Size	24" TFT-LCD
Format	16:9
Resolution	1920x1080
LED life time	50.000 Hours
Contrast ratio	5000:1
Luminance	300 cd/m2
Response time	Ton: 16ms Toff: 9ms
Viewing angle	12 o'clock = 89° 9 o'clock = 89° 6 o'clock = 89° 3 o'clock = 89°
Touch type	Resistive touch
I/O Common features	
Serial port	2x RS232 2x RS232/422/485
USB port	4x USB 2.0 2x USB 3.0
Power in	1x IEC C14 power connector (male)
Power out	5VDC 1A




Computer Common features	
CPU	4th generation Intel® Core™ i3-4100E processor 2.4 GHz
Chipset	Intel® HM86
System memory	4GB DDR3L-1600 (can be other size on request)
HDMI port	2x HDMI
Lan	2x 10/100/1000 Mbps
Storage Common features	
Type	64GB 2,5" SSD (can be other size on request)
Expansion type	Full-Size Mini PCI Express Mini Card with mSATA
Power supply Common features	
Voltage	100 - 240 VAC, 50/60 Hz
Power consumption	40 Watt
Mechanical and environment FT240	
Cabinet	AISI 316 stainless steel
Dimensions (D, H, W)	132,28mm x 428,38mm x 688,79mm
Weight	18kg
IP Rating	IP65 (IP66 at cable input)
Working temperature	-10 °C to + 35 °C
Storage temperature	-20°C to + 60 °C
Humidity	10% to 95% not condensing
Emission	EN 61000-6-3
Immunity	EN 61000-6-2

Product images




FT240

Mechanical drawing



Connections

Mechanical drawing




FT Accessories

The floor stand

FTS1 Floor stand gives you the opportunity to place your FT Touch Computer on the floor. Set up the floor stand with four screws into the floor, and then you can mount any of the FTS accessories you want directly on the floor stand, including the FT Touch Computers up to 24". Ask for the accessory catalog to see all the options within accessories for the FTS1 Floor Stand.

Image	Part no.	Description
1	14819	FTS1 Floor stand 1.9 meters el.pol
2	14820	FTS2 Keyboard arm el.pol
3	14821	FTS3 Mounting bracket printer shelf, term., keyb. el.pol
4	14822	FTS4 Printer box
5	14823	FTS5 Shelf for printer box el.pol
6	14824	FTS6 Scanner box
7	14825	FTS7 Shelf for scanner box el.pol
8	14826	FTS8 Ringbracket for floor stand el.pol
9	14827	FTS9 Bracket for cable tray
10	14828	FTS10 Cable tray 3.0 meters
11	14829	FTS11 Plate for power outlets
	14830	FTS12 M6 screws w. locknut

Image	Part no.	Description
	14583	FTS13 Split cable gland - IP54 w. 4 grommets
	14845	FTS14 Split cable gland - IP54 w. 2 grommets
12	14576	FTS15 Basic bracket el.pol
	14598	FTS16 Main power cable - 3.2 meters, 230V, EU
13	14855	FTS17 IT box plate
	15118	FTS18, Water-proof stylus pen
14	15153	FTS19 Mennekes 9301 CEE vægudtag 3-pol 16A 230V IP67
	13598	FTS20 Fod for terminal DC - 121016-77
	15223	FTS21 Man & Machine REALLYCOOLIP68 Klinisk Tastatur
	15222	FTS22 ActiveKey klinisk mus med scrollsensor IP68 hvid
	15252	FTS23 M8 screws w. locknut



FT Brackets

FT Wall mount


FT Wall mount is easy to install and to service. When you have installed your FT Wall mount, you can attach your FT Touch Computer with a keyboard and mouse. See our accesories brochure for more details on the keyboard set.

FT1 Wall mount 1-Axis

FT1 Wall mount is easy to install and to service. When you have installed your FT1 Wall mount, you can attach your FT Touch Computer. The FT1 Wall mount can be adjusted horizontally.

FT2 Wall mount 2-Axis

FT2 Wall mount is easy to install and to service. When you have installed your FT2 Wall mount, you can attach your FT Touch Computer. The FT2 Wall mount can be adjusted horizontal and vertically.



TECHON7

TECHON7 has a wide product program of Industrial Touch Screen Computers for food production and other industries. Our program of ruggedized industrial computer solutions can be used in various harsh environments from water to chemicals and dust. Our solid solutions meet several specific requirements and the modular concept ensures reliability, repairability, and performance.



Demand



Idea



Development



Test



Production



Distribution

Together we achieve more.